

Panel

Diagonal Size	98
Type	Edge LED BLU
Resolution	3840*2160 (4K UHD)
Pixel Pitch(mm)	0.562 x 0.562 (mm)
Active Display Area(mm)	2158.848(H) x 1214.352(V)
Brightness(Typ.)	350 nit
Contrast Ratio	4000:1
Viewing Angle(H/V)	178/178
Response Time(G-to-G)	6ms(Typ.)
Display Colors	16.7M(True Display)1.07B(Ditherd 10bit)
Color Gamut	72%
Operation Hour	24/7
Haze	25%

Display

Dynamic C/R	Mega
H-Scanning Frequency	30 ~ 81kHz
V-Scanning Frequency	48 ~ 75HZ
Maximum Pixel Frequency	594MHz

Sound

Speaker Type	Built in Speaker(10W + 10W)
--------------	-----------------------------

Connectivity

Input	
RGB	DVI-D, Display Port 1
Video	HDMI 2.0 (2)
HDCP	HDCP2.2
Audio	Stereo mini Jack, DV
USB	USB 2.0 x 2
Output	
RGB	HDMI 2.0 (Loop-out)
Audio	Stereo mini Jack
External Control	RS232C(in/out) thru
External Sensor	IR

Power

Type	Internal
Power Supply	AC 100 - 240 V~ (+/-
Power Consumption	
Max[W/h]	
Typical[W/h]	
BTU(Max)	
Sleep mode	
Off mode	

Mechanical Specification

Dimension (mm)	
Set	2194.2 x 1249.8 x 71 75.3 (w/ handle)
Package	2500 x 1618 x 815
Weight (kg)	
Set	
Package	
VESA Mount (mm)	900x600
Stand Type	No
Bezel Width (mm)	15.2mm(U/L/R), 15.1

Operation

Operating Temperature	0 °C ~ 40 °C	Humidity
-----------------------	--------------	----------

Feature

Key Features		UHD Signage Display MagicInfo S6, SSSP 6
Orientation		N/A
Remote Control		N/A
Special Features		H/W: Temperature S Battery(168hrs Clock 2ch), Video Wall Dai Chain(HDCP2.2:4EA, Source Switching & I Lock, Hot key option
	Processor	Coretex A72 1.7GHz
	On-Chip Cache Memory	L1 Instruction Cache Cache : 2MB
	Clock Speed	1.7GHz
	Main Memory Interface	2.5GB LPDDR4 1.5GB

Internal Player	Graphics	Graphic resolution : 3840x2160 (Scale up
	Storage (FDM)	8GB (3.88GB Occupied)
	Multimedia	*Video Decoder : M H.264/AVC, VC-1, AV *Audio Decoder : AC
	IO Ports	USB 2.0
	Operating System	Tizen 4.0 (VDLinux)

Certification

Safety	60950-1
EMC	Class A

Accessory

Included	Quick Setup Guide, \n Remote Controller, f
Optional	
Stand	-
Mount	WMN9500SD
Specialty	-

Media Player

Media Player	N/A
--------------	-----

--

l.2 (1)
l, HDMI
)
stereo jack, RJ45

10 %), 50/60 Hz
528
372
480
1800.5
0.5

..6 (w/o handle) 2194.2 x 1249.8 x
77.1
149.4
2mm(B)

10 % ~ 80 %

7 Slim & Light Signage with Built-in i.O
5ensor,Pivot Display, Clock < Keeping), Built in Speaker(10W sy HDCP1.4:7EA), Wi-Fi/BT S/W: Auto Recovery, LFD Home UI, Button i, Plug&Play (Initial Setting)
Quad-Core CPU
: 48KB L1 Data Cache : 32KB L2
Hz 64bit

1920x1080 Output resolution : (from graphic processing result.)
ed by O/S, 4.12GB Available)
PEG-1/2/4, H.263, H.264/AVC, UHD /S+, HEVC, JPEG, PNG, VP8, VP9 :3 (DD), MPEG

Warranty Card, Power Cord, Batteries
