


55" OMN-DSB Windows Signage

Features Spec Compare



* Connectivity cover is only included at the top of the display and is not available on the sides.* Product specification may vary by size and region.

Specifications

Download 

55" OMN-DSB Windows Signage

FeaturesSpecCompare

Resolution 1,920 x 1,080	Pixel Pitch (HxV) 0.63x0.63mm
Brightness (Typ) Outdoor 3,000/Indoor 1,000 nit	Contrast Ratio 6,000:1
Viewing Angle (H/V) 178/178	Response Time 6ms(Outdoor) / 8ms(Indoor)
Color Gamut NTSC 72%	Glass Haze 0 %
H-Scanning Frequency 15~135kHz(HDMI)	Maximum Pixel Frequency 594MHz(HDMI)
V-Scanning Frequency 24~75Hz(HDMI)	Contrast Ratio (Dynamic) Mega

Connectivity

HDMI In 2	Version of HDMI 2
Version of HDCP 2.2	USB 2
IR In Yes	RS232 In Yes
RJ45 In Yes	WiFi Yes

Power

Power Supply AC100-240V 50/60Hz	Power Consumption (On Mode) 500W
Power Consumption (Sleep Mode) 0.5W	

Dimension

Set Dimension (WxHxD) (mm) 726.8 x 1299 x 69.5 mm	Package Dimension (WxHxD) (mm) 940 x 1466 x 367 mm
---	--

Weight

Set Weight (kg) 42 kg	Package Weight (kg) 52 kg
---------------------------------	-------------------------------------

Operation Conditions

Temperature (°C) 0~40 °C	Humidity (%) 10 ~ 80%, non-condensing
------------------------------------	---

55" OMN-DSB Windows Signage

FeaturesSpecCompare

SoC

OS Version
Tizen 5.0

Flash Memory Size
8GB

Certification and
Compliance

EMC
Class A

Safety
60950-1

Hide All Specs ^

Compare the models

Compare with similar items

55" OMN-DSB Windows Signage

LH55OMNDSGBXEN



55"

Display

55"

24" OHB Smart Signage

LH24OHBEBGBXXK



24"

55" OHA-S Outdoor Signage

LH55OHAOSGBXXK



55"

Recently Viewed